DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS PR-C208RT-900M REV. A & INSTRUCTIONS FOR CONTINUED AIRWORTHINESS PR-C208RT-120M REV. B OR LATER APPROVED REVISIONS

REF. FAA STC: SA00897DE

1.0 PURPOSE

The payload mounting holes in the Paravion C208RT-100-(X) Retractable Turret System (RT) match the Wescam MX-20 imaging system. The DSI 9897-011 Adapter Kit is available from DART Aerospace and provides mounting holes that match the Wescam MX-15 imaging system.

2.0 INSTALLATION

Install the DSI 9897-011 Adapter Kit onto the RT as follows:

- 2.1 Prior to installation, prime/paint the D5928-041 Adapter Assy as follows. Mask mating surface of qy(1) hole per mating surface using GT00427 disc (or Ø7/16" area) to allow electrical bonding. On side that mates with RT-1000-23 Yoke (ref), ensure that the masked hole corresponds to masked hole in yoke (see Figures 1 and 2 of this Service Instruction). Apply primer per MIL-PRF-23377 (or equivalent) and finish coat flat black enamel paint.
- 2.2 If installing a MX-15 imaging system, the RT-1000-23 Yoke (ref) must be installed using the lower (3) attachment holes to ensure yoke & payload clears the doors. Reference Section 2.5.2 and Figure 9 of Component Servicing Instructions PR-C208RT-910M.
- 2.3 Attach D5928-041 Adapter Assy to RT-1000-23 Yoke (ref) using qty(16) AN4-17A bolts and associated hardware per Figure 2 of this Service Instruction. Orient the D5298-041 Adapter Assy so that the lower plate protrudes fwd. Ensure proper orientation by aligning the qty(2) Ø0.188 holes in the D5298-041 Adapter Assy with the corresponding holes in the RT-1000-23 yoke. Torque AN4-17A bolts 50-70 in-lb.
- 2.4 Maximum payload weight is 110 lb with the DSI 9897-011 Adapter Kit installed. Payload installation and support equipment approval is the responsibility of the installer. Fasteners that meet or exceed NAS1351 series socket head cap screws (minimum tensile strength of 180 ksi) of 0.250-inch diameter and appropriate length are recommended when attaching payload to the adapter. If a Wescam MX-15 imaging system is installed on the adapter, the fwd direction of the installed camera will be -116° from the camera's nominal fwd position.

3.0 WEIGHT AND BALANCE

INSTALLATION	WEIGHT	F.S.	B.L.	LONGITUDINAL	LATERAL
	(LB)	(IN)	(IN)	MOMENT	MOMENT
DSI 9897-011 Adapter Kit	8.5	235.2	0	1999	0

Α	NEW ISSUE (ECR 455) CP			22.10.20	
REV.		ı	DESCRIPTION BY	DATE	
DESIGN CP DRAWN CP		CP	DART AEROSPACE LTD		
		CP	HAWKESBURY, ONTARIO, CANADA		
CHECKED		SAD	DRAWING NO.	REV. A	
MFG. APPR.		N/A	DSI 9897	SHEET 1 OF 3	
APPROVED CP		CP	TITLE	SCALE	
DE APPR. CP (//		CP (1)	ADAPTER KIT FOR MX-15	NTS	
DATE 22.10.20			COPYRIGHT © 2022 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFEDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OF COMED OR COMMINICATED TO DAILY OTHER PERSON WITHOUT		

WRITTEN PERMISSION FROM DART AEROSPACE LTD

מדייר המממי

4.0 PARTS LIST

QTY	PART NUMBER	DESCRIPTION	
Х	DSI 9897-011	Adapter Kit, MX-15	
1	D5928-041	Adapter Assy, MX-15	
(1)	*D5928-1	Adapter Plate, Yoke	
(1)	*D5928-3	Adapter Plate, MX-15	
(2)	*D5928-5	Strut, Fwd	
(2)	*D5928-7	Strut, Aft	
(16)	*AN4-6A	Bolt	
(16)	*NAS1149D0416J	Washer (or AN960JD416L)	
(32)	*MS20426AD3	Rivet	
(16)	*MS21051L4	Nutplate	
16	AN4-17A	Bolt	
32	NAS1149D0463J	Washer (or AN960JD416)	
16	MS21042L4	Nut	

^{*} Indicates that part is included in D5928-041 Adapter Assembly above.




FIGURE 1 - D5928-041 ADAPTER ASSY

APPROVED	DESIGN	CP	DART AEROSPACE LTD		
	DRAWN	CP	HAWKESBURY, ONTARIO, CANADA		
	CHECKED	SAD	DRAWING NO.	REV. A	
	MFG. APPR.	N/A	DSI 9897	SHEET 2 OF 3	
	APPROVED	CP	TITLE	SCALE	
	DE APPR.	CP (ADAPTER KIT FOR MX-15	NTS	
	DATE 22.10.20		COPYRIGHT © 2022 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND COMPEDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		




FIGURE 2 - DSI 9897-011 ADAPTER KIT (MAJORITY OF RETRACTABLE TURRET STRUCTURE REMOVED FOR CLARITY)

APPROVED	DESIGN	CP	DART AEROSPACE L	TD	
	DRAWN CP		HAWKESBURY, ONTARIO, CANADA		
	CHECKED	SAD	DRAWING NO.	REV. A	
	MFG. APPR.	N/A	DSI 9897	SHEET 3 OF 3	
	APPROVED	CP	TITLE	SCALE	
	DE APPR.	CP 41	ADAPTER KIT FOR MX-15	NTS	
	DATE 22.1	0.20	COPYRIGHT © 2022 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND COMPIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		